

## N Series Integrated SOLAR LED STREET LIGHT

Item	Q'ty	Unit Price USD EX works	Parameters		Package
 LAL-SSL-40WN	<100pcs	\$215.22	40WSolar LEDstreet light	Battery: LiFePO4 3.2V/ 192WH	Lamp size: L775*W360*H150mm N.W.: 11.8Kg/pc; 1pc/ CTN; Carton Size: 86*40*22Cm Gross Weight: 14Kg
	<300pcs	\$211.30	Solar Panel: 18V / 50W Monocrystalline	Working time: 12 hrs & 5-7 rain days	
	<1000pcs	\$209.34	Beam angle: 75*150°	CCT: 3000K/4000K/5000K/5700K/6500K	
	>1000pcs	\$205.90	LEDs: 120pcs SMD3030	Installation height: 7-10M, Pole diameter: 60mm	
			Lumens efficiency: 180Lm/W	IK08, IP66 waterproof 5 years warranty	
			Control: Time / PIR / Microwave / Auto Turn on/off	Working Temperature: -20°C ~ +60°C	
 LAL-SSL-50WN	<100pcs	\$253.48	50WSolar LEDstreet light	Battery: LiFePO4 12.8V/ 230.4WH	Lamp size: L1050*W360*H150mm N.W.: 15Kg/pc; 1pc/ CTN; Carton Size: 109*40*22Cm Gross Weight: 16Kg
	<300pcs	\$248.86	Solar Panel: 18V / 65W Monocrystalline	Working time: 12 hrs & 5-7 rain days	
	<1000pcs	\$246.56	Beam angle: 75*150°	CCT: 3000K/4000K/5000K/5700K/6500K	
	>1000pcs	\$242.50	LEDs: 240pcs SMD3030	Installation height: 7-10M, Pole diameter: 60mm IK08, IP66 waterproof	
			Lumens efficiency: 180Lm/W	5 years warranty	
			Control: Time / PIR / Microwave / Auto Turn on/off	Working Temperature: -20°C ~ +60°C	
 LAL-SSL-60WN	<100pcs	\$317.24	60WSolar LEDstreet light	Battery: LiFePO4 12.8V / 384WH	Lamp size: L1235*W360*H150mm N.W.: 18.71Kg/pc; 1pc/CTN; Carton Size: 131*40*22Cm Gross Weight: 19.7Kg
	<300pcs	\$311.48	Solar Panel: 18V / 80W Monocrystalline	Working time: 12 hrs & 5-7 rain days	
	<1000pcs	\$308.60	Beam angle: 75*150°	CCT: 3000K/4000K/5000K/5700K/6500K	
	>1000pcs	\$303.52	LEDs: 240pcs SMD3030	Installation height: 7-10M, Pole diameter: 76mm	
			Lumens efficiency: 180Lm/W	IK08, IP66 waterproof 5 years warranty	
			Control: Time / PIR / Microwave / Auto Turn on/off	Working Temperature: -20°C ~ +60°C	
 LAL-SSL-100WN	<100pcs	\$436.82	100W Solar LED street light	Battery: LiFePO4 25.6V / 460WH	Lamp size: L1505*W360*H150mm N.W.: 24.17Kg/pc; 1pc/CTN; Carton Size: 159*40*22Cm Gross Weight: 25.4Kg
	<300pcs	\$428.86	Solar Panel: 36V / 110W Monocrystalline	Working time: 12 hrs & 5-7 rain days	
	<1000pcs	\$424.90	Beam angle: 75*150°	CCT: 3000K/4000K/5000K/5700K/6500K	
	>1000pcs	\$417.90	LEDs: 360pcs SMD3030	Installation height: 7-10M, Pole diameter: 76mm	
			Lumens efficiency: 180Lm/W	IK08, IP66 waterproof 5 years warranty	
			Control: Time / PIR / Microwave / Auto Turn on/off	Working Temperature: -20°C ~ +60°C	
 LAL-SSL-120WN	<100pcs	\$478.26	120W Solar LED street light	Battery: LiFePO4 25.6V / 614WH	Lamp size: L1665*W360*H150mm N.W.: 27Kg/pc; 1pc/ CTN; Carton Size: 175*40*22Cm Gross Weight: 14Kg
	<300pcs	\$469.56	Solar Panel: 36V / 110W Monocrystalline	Working time: 12 hrs & 5-7 rain days	
	<1000pcs	\$465.22	Beam angle: 75*150°	CCT: 3000K/4000K/5000K/5700K/6500K	
	>1000pcs	\$457.56	LEDs: 360pcs SMD3030	Installation height: 7-10M, Pole diameter: 76mm	
			Lumens efficiency: 180Lm/W	IK08, IP66 waterproof 5 years warranty	
			Control: Time / PIR / Microwave / Auto Turn on/off	Working Temperature: -20°C ~ +60°C	

Item	Q'ty	Unit Price USD EX works	Parameters		Package
 <p>LAL-SSL-150WN</p>	<100pcs	\$532.46	150W Solar LED street light	Battery: LiFePO4 25.6V / 768WH	Lamp size: L1855*W370*H150mm N.W.: 31.1Kg/pc; 1pc/CTN; Carton Size: 193*40*22Cm Gross Weight: 33Kg
	<300pcs	\$522.78	Solar Panel: 36V / 150W Monocrystalline	Working time: 12 hrs & 5-7 rain days	
	<1000pcs	\$517.94	Beam angle: 75*150°	CCT: 3000K/4000K/5000K/5700K/6500K	
	>1000pcs	\$509.42	LEDs: 480pcs SMD3030	Installation height: 7-10M, Pole diameter: 76mm	
			Lumens efficiency: 180Lm/W	IK08, IP66 waterproof 5 years warranty	
			Control: Time / PIR / Microwave / Auto Turn on/off	Working Temperature: -20°C ~ +60°C	



